

Baby Bear Pantomime rocking a baby



Coughing Cow Place hand near top of throat



Cheeky Chick Move hand sassily toward cheek




Dirty Dog Make digging motion with hands




Fussy Fish
Fussily push hands away from body




Goofy Goat Roll eyes toward ceiling



Giant Giraffe Move hand upward in stair steps



Happy Hippo Laugh and shake shoulders





Rowdy Rooster Rev motorcycle gears




Silly Snake Move finger up arm



Shy Sheepy
Clutch hands together and push down



Talkie Turkey
Raise a pretend phone receiver to ear





Zip coat

REFERENCES

Miccio, A.W. (2002). Clinical problem solving: Assessment of phonological disorders. American Journal of Speech-Language Pathology. 11, 221-229.

Miccio, A. W. (2005). A treatment program for enhancing stimulability. In Kamhi, A. G., & Pollock, K.E., (Eds.). (2005). Phonological disorders in children: Clinical decision making in assessment and intervention (pp. 163-173). Baltimore, London, Sydney: Paul H Brookes.

Miccio, A. W. (2009). First things first: Stimulability therapy for children with small phonetic repertoires. In C. Bowen, Children's speech sound disorders. Oxford: Wiley-Blackwell, 96-101.

Miccio, A.W, & Elbert, M. (1996). Enhancing stimulability: a treatment program. Journal of Communication Disorders, 29, 335-352.

Miccio, A. W., Elbert, M., & Forrest, K. (1999). The relationship between stimulability and phonological acquisition in children with normally developing and disordered phonologies. American Journal of Speech-Language Pathology, 8, 347-363.

Miccio, A. W, & Williams, A. L. (2010). Stimulability treatment. In A. L. Williams, S. McLeod, & R. J. McCauley (Eds.), Interventions for speech sound disorders in children. Baltimore, MD: Paul H. Brookes.

Powell, T. W., & Miccio, A. W. (1996). Stimulability: A useful clinical tool. Journal of Communication Disorders, 29, 237-253.

